

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|----------------------------|------------------|---------|------------------|
| L1 | 0 | "385"/\$.ccls. and (Y near2 (branch or branching or branches or branched or coupler or couplers or coupling or coupled or couples or couple or splitter or splitters or splitting or split or splits)) and (liquid near2 (crystal or crystalline)) and (temperature or heater or heaters or heating or thermal or thermally) | USOCR | OR | OFF | 2005/12/08 20:45 |
| L2 | 0 | "385"/\$.ccls. and (Y near2 (branch or branching or branches or branched or coupler or couplers or coupling or coupled or couples or couple or splitter or splitters or splitting or split or splits)) and (liquid near2 (crystal or crystalline)) and (temperature or heater or heaters or heating or thermal or thermally) | EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/08 20:45 |
| L3 | 40 | "385"/\$.ccls. and (Y near2 (branch or branching or branches or branched or coupler or couplers or coupling or coupled or couples or couple or splitter or splitters or splitting or split or splits)) and (liquid near2 (crystal or crystalline)) and (temperature or heater or heaters or heating or thermal or thermally) | USPAT | OR | OFF | 2005/12/08 20:45 |
| L4 | 32 | "385"/\$.ccls. and (Y near2 (branch or branching or branches or branched or coupler or couplers or coupling or coupled or couples or couple or splitter or splitters or splitting or split or splits)) and (liquid near2 (crystal or crystalline)) and (temperature or heater or heaters or heating or thermal or thermally) | US-PGPUB | OR | OFF | 2005/12/08 20:45 |
| L5 | 9 | (Y near2 (branch or branching or branches or branched or coupler or couplers or coupling or coupled or couples or couple or splitter or splitters or splitting or split or splits)) and (liquid near2 (crystal or crystalline)) and (temperature or heater or heaters or heating or thermal or thermally) | EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/08 20:45 |
| L6 | 4133 | (385/16-24).CCLS. | USPAT | OR | OFF | 2005/12/08 20:45 |
| L7 | 297 | (385/45).CCLS. | USPAT | OR | OFF | 2005/12/08 20:45 |
| L8 | 1885 | (385/16-24).CCLS. | US-PGPUB; USOCR | OR | OFF | 2005/12/08 20:45 |
| L9 | 66 | (385/45).CCLS. | US-PGPUB; USOCR | OR | OFF | 2005/12/08 20:45 |
| L10 | 653 | (L6 or L7 or L8 or L9) and (LC or (liquid near2 (crystal or crystalline)) or liquid-crystal or liquid-crystalline) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/12/08 20:45 |

| | | | | | | |
|-----|------|--|----------------------------------|----|-----|------------------|
| L11 | 740 | (L6 or L7 or L8 or L9) and (LC or (liquid near2 (crystal or crystalline)) or liquid-crystal or liquid-crystalline) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/12/08 20:45 |
| L12 | 3022 | (L6 or L7 or L8 or L9) and (heater or heaters or heating or heats or heated or thermal or thermally or temperature) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/12/08 20:45 |
| L13 | 470 | L11 and L12 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/12/08 20:45 |
| L14 | 2 | ("2003/0219197").URPN. | USPAT | OR | OFF | 2005/12/08 20:45 |
| L15 | 8 | ("20020041726" "20030156793" "4749258" "5044712" "5586205" "5596671" "6546163").PN. OR ("6763159").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/12/08 20:45 |
| L16 | 4 | ("4720174" "5044712" "5589961" "6763159").PN. OR ("6904207").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/12/08 20:45 |
| L17 | 10 | ("4201442" "4690489" "4746183" "4749258" "4813771" "4836657").PN. OR ("5044712").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/12/08 20:45 |
| L18 | 14 | ("4278327" "4461536" "4556288").PN. OR ("4720174").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/12/08 20:45 |
| L19 | 29 | ("3695745" "3795433" "3883220").PN. OR ("4070092").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/12/08 20:45 |
| L20 | 0 | ((optical or optic or light or optically) near2 (switch or switches or switching or switch or switched)) and ((channel or channels or ridge) near2 (waveguide or waveguides)) and (lc or liquid-crystal or liquid-crystals or liquid-crystalline or (liquid near2 (crystal or crystals or crystalline))) and (temperature or thermal or thermally or heater or heaters or heat or heated or heating) | EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/08 20:45 |

| | | | | | | |
|-----|----|--|---|----|-----|------------------|
| L21 | 9 | ((optical or optic or light or optically) near2 (switch or switches or switching or switch or switched)) and ((channel or channels or ridge) near2 (waveguide or waveguides)) and ((lc or liquid-crystal or liquid-crystals or liquid-crystalline or (liquid near2 (crystal or crystals or crystalline))) and (temperature or thermal or thermally or heater or heaters or heat or heated or heating) and (nematic and isotropic)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/08 20:45 |
| L22 | 74 | ((optical or optic or light or optically) near2 (switch or switches or switching or switch or switched)) and (waveguide or waveguides) and ((lc or liquid-crystal or liquid-crystals or liquid-crystalline or (liquid near2 (crystal or crystals or crystalline))) and (temperature or thermal or thermally or heater or heaters or heat or heated or heating) and (nematic and isotropic)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/08 20:45 |
| L23 | 1 | ((optical or optic or light or optically) near2 (switch or switches or switching or switch or switched)) and (waveguide or waveguides) and ((lc or liquid-crystal or liquid-crystals or liquid-crystalline or (liquid near2 (crystal or crystals or crystalline))) and (temperature or thermal or thermally or heater or heaters or heat or heated or heating) and (nematic and isotropic)) | EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/08 20:45 |
| L24 | 1 | ("6546163"):PN. | USPAT | OR | OFF | 2005/12/08 20:45 |
| L25 | 9 | ("5040864" "5544268" "6253015" "6456419"):PN. OR ("6546163").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/12/08 20:45 |
| L26 | 70 | ((optical or optic or light or optically) near2 (switch or switches or switching or switch or switched)) and (waveguide or waveguides) and ((lc or liquid-crystal or liquid-crystals or liquid-crystalline or (liquid near2 (crystal or crystals or crystalline))) and (temperature or thermal or thermally or heater or heaters or heat or heated or heating)) | EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/08 20:45 |
| L27 | 0 | "385"/\$.ccls. and ((liquid near2 (crystal or crystalline)) with ((fill or filled or fills or filling) near2 (trench or trenches or channel or channels))) | EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/08 20:45 |
| L28 | 16 | "385"/\$.ccls. and ((liquid near2 (crystal or crystalline)) with ((fill or filled or fills or filling) near2 (trench or trenches or channel or channels))) | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/12/08 20:45 |
| L29 | 13 | ((liquid near2 (crystal or crystalline)) with ((fill or filled or fills or filling) near2 (trench or trenches or channel or channels))) | EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/08 20:45 |
| L30 | 1 | ("6763159"):PN. | USPAT | OR | OFF | 2005/12/08 20:45 |

| | | | | | | |
|-----|------|--|------------------------------|----|-----|------------------|
| L31 | 1 | L30 and (heater or heaters or heating or heats or heated or thermal or thermally or temperature) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/12/08 20:45 |
| L32 | 0 | L30 and (electro-optic) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/12/08 20:45 |
| L33 | 1 | L30 and (electric adj field) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/12/08 20:45 |
| L34 | 2 | ((("5016958") or ("5006285") or ("200310156793"))).PN. | US-PGPUB; USPAT | OR | OFF | 2005/12/08 20:45 |
| L35 | 2 | L34 and (temperature or heater or heaters or heating or thermal or thermally) | US-PGPUB; USPAT | OR | OFF | 2005/12/08 20:45 |
| L36 | 3 | ((("5016958") or ("5006285") or ("20030156793"))).PN. | US-PGPUB; USPAT | OR | OFF | 2005/12/08 20:45 |
| L37 | 2 | L36 and (temperature or heater or heaters or heating or thermal or thermally) | US-PGPUB; USPAT | OR | OFF | 2005/12/08 20:45 |
| L38 | 3 | ((("6763159") or ("20030219197") or ("20030210855"))).PN. | US-PGPUB; USPAT | OR | OFF | 2005/12/08 20:45 |
| L39 | 3 | L38 and (temperature or heater or heaters or heating or thermal or thermally) | US-PGPUB; USPAT | OR | OFF | 2005/12/08 20:45 |
| L40 | 3 | L38 and (thermo-optic or thermooptic or thermo-optic or thermo-optical) | US-PGPUB; USPAT | OR | OFF | 2005/12/08 20:45 |
| L41 | 1 | L36 and (thermo-optic or thermooptic or thermo-optic or thermo-optical) | US-PGPUB; USPAT | OR | OFF | 2005/12/08 20:45 |
| L42 | 6018 | (385/16-24):CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2005/12/08 20:45 |
| L43 | 172 | L42 and (((liquid near2 (crystal or crystalline)) or LC) same (thermo-optic or thermo-optical or thermo-optically or thermal or thermally or thermal or thermooptic or thermooptic or thermooptical or thermooptical or thermo-optically or thermooptically or temperature)) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/12/08 20:45 |
| L44 | 0 | ("2005/0111783");URPN. | USPAT | OR | OFF | 2005/12/08 20:45 |

| | | | | | | |
|-----|-----|---|------------------------------|----|-----|------------------|
| L45 | 349 | "385"/\$.ccds. and (((liquid near2 (crystal or crystalline)) or LC) with (thermo-optic or thermo-optical or thermo-optically or thermal or thermally or thermal or thermooptic or thermooptic or thermooptical or thermooptical or thermo-optically or thermooptically or temperature)) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/12/08 20:45 |
| L46 | 227 | L45 not L43 | US-PGPUB; USPAT; USOCR | OR | ON | 2005/12/08 20:45 |
| L47 | 6 | ((("4070092") or ("4775207") or ("4828362") or ("6084050") or ("6311004") or ("6546163"))).PN. | USPAT | OR | OFF | 2005/12/08 20:45 |
| L48 | 3 | L39 and (temperature or heater or heaters or heating or thermal or thermally) | US-PGPUB; USPAT | OR | OFF | 2005/12/08 20:45 |
| L49 | 4 | L47 and (temperature or heater or heaters or heating or thermal or thermally) | US-PGPUB; USPAT | OR | OFF | 2005/12/08 20:45 |
| L50 | 2 | L49 and (((liquid near2 (crystal or crystalline)) or LC) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/12/08 20:45 |
| L51 | 1 | ("5006285").PN. | USPAT | OR | OFF | 2005/12/08 20:45 |
| L52 | 0 | L51 and (((liquid near2 (crystal or crystalline)) or LC) same (thermo-optic or thermo-optical or thermo-optically or thermal or thermally or thermal or thermooptic or thermooptic or thermooptical or thermooptical or thermo-optically or thermooptically or temperature)) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/12/08 20:45 |
| L53 | 1 | L51 and (((liquid near2 (crystal or crystalline)) or LC) and (thermo-optic or thermo-optical or thermo-optically or thermal or thermally or thermal or thermooptic or thermooptic or thermooptical or thermooptical or thermo-optically or thermooptically or temperature)) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/12/08 20:45 |
| L54 | 1 | ("5016958").PN. | USPAT | OR | OFF | 2005/12/08 20:45 |
| L55 | 1 | L51 and (((liquid near2 (crystal or crystalline)) or LC) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/12/08 20:45 |
| L56 | 2 | ((("20020076142") or ("5016958"))).PN. | US-PGPUB; USPAT | OR | OFF | 2005/12/08 20:45 |
| L57 | 2 | L56 and (((liquid near2 (crystal or crystalline)) or LC) | US-PGPUB; USPAT; USOCR | OR | ON | 2005/12/08 20:45 |

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| L58 | 1 | L54 and (temperature or heater or heaters or heating or thermal or thermally) | US-PGPUB; USPAT | OR | OFF | 2005/12/08 20:45 |
| L59 | 1 | ("20020076142").PN | US-PGPUB; USPAT | OR | OFF | 2005/12/08 20:45 |
| L60 | 0 | L59 and(index or indices) | USPAT | OR | OFF | 2005/12/08 20:45 |
| L61 | 1 | L59 and(index or indices) | US-PGPUB; USPAT | OR | OFF | 2005/12/08 20:45 |
| L62 | 1 | L59 and (coating or coatings) | US-PGPUB; USPAT | OR | OFF | 2005/12/08 20:45 |
| L63 | 248 | (1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 34 or 35 or 36 or 37 or 38 or 39 or 40 or 41 or 42 or 43 or 44 or 45 or 46 or 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 or 55 or 56 or 57 or 58 or 59 or 60 or 61 or 62) and @pd> '20050819" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/08 20:48 |
| L64 | 130 | 63 and @ad<"20031124" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/12/08 20:49 |